

NATIONAL	ITEM	وحدة القياس	need 6 months	need 1 year				
01-G00-009	Ephedrine Hcl inj 3% 30 mg / ml, slow I.V.	amp	37506					
10-CAa-004	Neostigmine metisulphate 2.5mg/ml,I.V,I.M,S.C inj (1ml) Ampoule	amp	449917					
14-AA0-036	Ketamine as Hcl 50mg/ml, I.V ,I.M inj (10ml) Vial	vial	77920					
14-AA0-039	Thiopentone sodium inj (1g in 40ml)	vial	117355					
14-AA0-043	propofol 1% (20ml ) (( preferable with preservative ))	ampoul	308233					
14-AC0-011	Rocuronium bromide inj 10mg/ml (5ml)	vial	4569					
14-AC0-012	Suxamethonium chloride 100mg/2ml OR 100mg/5ml Ampoule	amp	102961					
14-AD0-032	Remifentanil as Hcl inj 2mg/ vial IV.injection	vial	15750					
14-B00-055	Anhydrous Lignocaine Hcl (20mg/ml) (50 ml vial)	vial	94582					
14-B00-038	Anhydrous Bupivacain Hcl 5mg		48147					
14-B00-048	Anhydrous Lidocaine Hcl 2 % (20mg/ml) +adrenaline 1:200000 (20 ml vial)	vial	9921					
14-B00-023	Lidocaine Hcl 20mg/ml (2%) (5ml Ampoule) الطوارئ والجراحه (العامه)	Amp	161925					
14-B00-015	Lidocaine HCL 2% (20 mg/ml) + Epine	carpule		3564849				
14-B00-040	Lidocaine Hcl 2% ( 1.8 ml ) carpule يكون احتياجها بنسبة 10 % من الاحتياج الكلي carpule	carpule		517205				
14-B00-044	Anhydrous lignocaine Hcl 20 mg / ml ( 20 ml vial ) injection	vial		32147				





























